Author Index to Volume 171

Aguillon, F., V. Sidis and J.P. Gauyacq, Coupled-wavepacket study of model dissociative	
charge exchange in collisions between a diatomic ion and a diatomic molecule	171 (1993) 363
Al Homsi-Teiar, S., see B. Pasquier	171 (1993) 203
Amosov, K.A., S.A. Kochubei, K.N. Naumochkin, V.I. Makarov, I.V. Khmelinski and	
N.M. Bazhin, SO ₂ fluorescence in cooled molecular beams under a magnetic field. The	
model analysis	171 (1993) 275
Bazhin, N.M., see K.A. Amosov	171 (1993) 275
Brion, C.E., see B.P. Hollebone	171 (1993) 303
Buckingham, A.D., see S.A.C. McDowell	171 (1993) 89
Čápek, V., Haken-Strobl-Reineker model: its limits of validity and a possible extension	171 (1993) 79
Consalvo, D., J.W.I. van Bladel, R. Engeln and J. Reuss, Analysis of the torsional Raman	(,
spectrum of a pyramidal molecule, dimethylamine	171 (1993) 221
Cosby, P.C., see M.J. Dyer	171 (1993) 237
Davidson, E.R., see B.P. Hollebone	171 (1993) 303
Decleva, P., see M. Ohno	171 (1993) 9
Decleva, P., see A. Lisini	171 (1993) 159
Defranceschi, M., see D. Mathieu	171 (1993) 133
Delhalle, J., see D. Mathieu	171 (1993) 133
Dick, B., Response functions and susceptibilities for multiresonant non-linear optical spec-	
troscopy: perturbative computer algebra solution including feeding	171 (1993) 59
Dietz, F., see N. Tyutyulkov	171 (1993) 293
Dyer, M.J., G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger, Optical excitation of	
the b ${}^{4}\Sigma^{-}$ - X ${}^{2}\Pi$ transition in NO	171 (1993) 237
Enders, A., see P. Pissis	171 (1993) 285
Engeln, R., see D. Consalvo	171 (1993) 221
Eriksson, L.A., see S. Lunell	171 (1993) 119
Evseev, A.G., D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii,	
Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissocia-	
tion of TlBr	171 (1993) 45
Fängström, T., see S. Lunell	171 (1993) 119
Faris, G.W., see M.J. Dyer	171 (1993) 237
Feller, D., see B.P. Hollebone	171 (1993) 303
Fillaux, F., see B. Pasquier	171 (1993) 203
Fišer, J. and J. Vojtík, Ab initio CI calculation of nuclear quadrupole coupling constants of	
low-lying rovibrational levels in the $X^{-1}\Sigma^{+}$ state of CH ⁺	171 (1993) 319

Francisco, J.S. and G. Khitrov, An examination of the structure and inversion barrier for	
lithium and sodium phosphide	171 (1993) 153
Fronzoni, G., see A. Lisini	171 (1993) 159
Galasso, V., Ab initio calculations on the one- and two-photon electronic transitions of the	
conjugated isomers of benzene	171 (1993) 171
Gallay, J., see N. Vekshin	171 (1993) 231
Gatzweiler, W., see A. Pöppl	171 (1993) 375
Gauyacq, J.P., see F. Aguillon	171 (1993) 363
González-Luque, R., M. Merchán and B.O. Roos, A theoretical study of the collinear reaction $F+H_2\rightarrow HF+H$ using multiconfigurational second-order perturbation theory	
(CASPT2)	171 (1993) 107
Grand, A., see D. Mathieu	171 (1993) 133
Hermansson, K., see M.J. Wojcik	171 (1993) 189
Hochstrasser, R.M., see K. Wynne	171 (1993) 179
Hollebone, B.P., Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller, Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements	
and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride	171 (1993) 303
Holliday, K., see E. Vauthey	171 (1993) 303
Huestis, D.L., see M.J. Dyer	171 (1993) 237
Hüttermann, J., see A. Pöppl	171 (1993) 375
Khitrov, G., see J.S. Francisco	171 (1993) 153
Khmelinski, I.V., see K.A. Amosov	171 (1993) 275
Klöpperpieper, A., see A. Pöppl	171 (1993) 375
Kochubei, S.A., see K.A. Amosov	171 (1993) 275
Krogh-Jespersen, K., see M.J. Smith	171 (1993) 97
Kupriyanov, D.V. and O.S. Vasyutinskii, Orientation and alignment of ² P _{3/2} fragments fol-	
lowing photodissociation of heteroatomic molecules	171 (1993) 25
Kupriyanov, D.V., see A.G. Evseev	171 (1993) 45
Le Calvé, N., see B. Pasquier	171 (1993) 203
Lecayon, G., see D. Mathieu	171 (1993) 133
Levy, R.M., see M.J. Smith	171 (1993) 97
Liang, C., see M. Shen	171 (1993) 325
Lindgren, J., see M.J. Wojcik	171 (1993) 189
Lisini, A., P. Decleva and G. Fronzoni, Quasidegenerate perturbation theory applied to the calculation of excitation spectra	171 (1993) 159
Lund, A., see S. Lunell	171 (1993) 119
Lunell, S., L.A. Eriksson, T. Fängström, J. Maruani, L. Sjöqvist and A. Lund, Theoretical	,
investigation of the structure and dynamics of the cyclopentane radical cation	171 (1993) 119
Makarov, V.I., see K.A. Amosov	171 (1993) 275
Maruani, J., see S. Lunell	171 (1993) 119

Mathieu, D., M. Defranceschi, G. Lecayon, A. Grand and J. Delhalle, Dependence of the vibrational frequencies and intensities on the configuration of polyacrylonitrile: an ab	
initio study on model oligomers McDowell, S.A.C. and A.D. Buckingham, Isotope effects on the stability of the nitrogen-	171 (1993) 133
acetylene van der Waals dimer	171 (1993) 89
Merchán, M., see R. González-Luque	171 (1993) 107
•••••	, , , , , , , , , , , , , , , , , , , ,
Naumochkin, K.N., see K.A. Amosov	171 (1993) 275
Nimtz, G., see P. Pissis	171 (1993) 285
Offer, A.R., see J. Schleipen	171 (1993) 347
Ohno, M. and P. Decleva, Cooperative core hole screening mechanism in adsorbates: its	
hindrance in the NEXAFS spectra of the CO/Ni and N ₂ /Ni systems	171 (1993) 9
Ojamäe, L., see M.J. Wojcik	171 (1993) 189
B. C. B. N. L. C. L. C. A. H. C. T. C. L. E. E. B. Willer in J. M. C. L. C.	
Pasquier, B., N. Le Calvé, S. Al Homsi-Teiar and F. Fillaux, Vibrational study of various	
crystalline phases of thallium dihydrogen phosphate TlH ₂ PO ₄ and its deuterated analog	171 (1993) 203
TID ₂ PO ₄ Peteleng P. Fleetre observior enectre of degenerate observe transfer states	171 (1993) 203
Petelenz, P., Electro-absorption spectra of degenerate charge transfer states Picheyev, B.V., see A.G. Evseev	171 (1993) 397
Pissis, P., A. Enders and G. Nimtz, Hydration dependence of molecular mobility in phos-	171 (1993) 43
pholipid bilayers	171 (1993) 285
Pöppl, A., G. Völkel, O. Tober, A. Klöpperpieper, J. Hüttermann and W. Gatzweiler, ¹ H	171 (1775) 205
and ² D electron nuclear double resonance (ENDOR) and electron spin echo envelope	
modulation (ESEEM) investigations on γ-irradiated betaine arsenate	171 (1993) 375
Pöppl, A. and G. Völkel, ¹⁴ N ENDOR study of γ-irradiated betaine arsenate	171 (1993) 387
Power, E.A. and T. Thirunamachandran, A new insight into the mechanism of intermolec-	
ular forces	171 (1993) 1
Renn, A., see E. Vauthey	171 (1993) 253
Reuss, J., see D. Consalvo	171 (1993) 221
Roos, B.O., see R. González-Luque	171 (1993) 107
Schaefer III, H.F., see M. Shen	171 (1993) 325
Schleipen, J., J.J. ter Meulen and A.R. Offer, State-to-state cross sections for rotational ex-	151 (1002) 245
citation of ortho- and para-NH ₃ by ortho- and para-H ₂ . Experiment versus theory	171 (1993) 347
Sevastianov, B.N., see A.G. Evseev	171 (1993) 45
Shalabi, A.S. and M.M. Shalabi, Calculations on clusters of Li and F ions at LiF crystal	171 (1002) 145
geometries Shelahi M.M. see A.S. Shelahi	171 (1993) 145
Shalabi, M.M., see A.S. Shalabi Shen, M., C. Liang and H.F. Schaefer III, The tetramer of borane and its heavier valence-	171 (1993) 145
isoelectronic analogs: M_4H_{12} with $M=B$, Al, and Ga	171 (1993) 325
Sidis, V., see F. Aguillon	171 (1993) 363
Sjöqvist, L., see S. Lunell	171 (1993) 119
Slanger, T.G., see M.J. Dyer	171 (1993) 237
Smith, M.J., K. Krogh-Jespersen and R.M. Levy, Solvent effects on the torsional dynamics	111 (1773) 231
of a twisted intramolecular charge transfer (TICT) molecule: bianthryl in acetonitrile	171 (1993) 97

Ter Meulen, J.J., see J. Schleipen	171 (1993) 347
Thirunamachandran, T., see E.A. Power	171 (1993) 1
Tober, O., see A. Pöppl	171 (1993) 375
Tyutyulkov, N. and F. Dietz, Energy gap equation of 1D polyconjugated π-systems in the	
Hubbard approximation	171 (1993) 293
Van Bladel, J.W.I., see D. Consalvo	171 (1993) 221
Vasyutinskii, O.S., see D.V. Kupriyanov	171 (1993) 25
Vasyutinskii, O.S., see A.G. Evseev	171 (1993) 45
Vauthey, E., K. Holliday, C. Wei, A. Renn and U.P. Wild, Stark effect and spectral hole-	
burning: solvation of organic dyes in polymers	171 (1993) 253
Vekshin, N., M. Vincent and J. Gallay, Tyrosine hypochromism and absence of tyrosine-	
tryptophan energy transfer in phospholipase A ₂ and ribonuclease T ₁	171 (1993) 231
Vincent, M., see N. Vekshin	171 (1993) 231
Vojtík, J., see J. Fišer	171 (1993) 319
Völkel, G., see A. Pöppl	171 (1993) 375
Völkel, G., see A. Pöppl	171 (1993) 387
Wei, C., see E. Vauthey	171 (1993) 253
Wild, U.P., see E. Vauthey	171 (1993) 253
Wojcik, M.J., K. Hermansson, J. Lindgren and L. Ojamäe, Theoretical simulation of OH	
and OD stretching bands of isotopically diluted HDO molecules in aqueous solution	171 (1993) 189
Wynne, K. and R.M. Hochstrasser, Coherence effects in the anisotropy of optical	
experiments	171 (1993) 179
Zabarnick, S., Kinetics of the reaction OH+NO+M→HONO+M as a function of temper-	
ature and pressure in the presence of argon, SF ₆ , and N ₂ bath gas	171 (1993) 265
Zheng, Y., see B.P. Hollebone	171 (1993) 303

Subject Index to Volume 171

Methods

Theoretical

Quantized field theory	
A new insight into the mechanism of intermolecular forces, E.A. Power and T. Thirunamachandran	171 (1993) 1
Many body and quasiparticle approaches	
Cooperative core hole screening mechanism in adsorbates: its hindrance in the NEXAFS	171 (1002) 0
spectra of the CO/Ni and N_2 /Ni systems, M. Ohno and P. Decleva Energy gap equation of 1D polyconjugated π -systems in the Hubbard approximation,	171 (1993) 9
N. Tyutyulkov and F. Dietz	171 (1993) 293
Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion,	
E.R. Davidson and D. Feller	171 (1993) 303
Coupling schemes and perturbative treatments	
Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii	171 (1993) 25
Orientation and alignment of metastable ${}^2P_{3/2}$ thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and	
O.S. Vasyutinskii	171 (1993) 45
Response functions and susceptibilities for multiresonant non-linear optical spectroscopy:	()
perturbative computer algebra solution including feeding, B. Dick	171 (1993) 59
Transport quantum mechanics	
Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek	171 (1993) 79
Ab initio schemes for stationary properties	
Isotope effects on the stability of the nitrogen-acetylene van der Waals dimer,	
S.A.C. McDowell and A.D. Buckingham	171 (1993) 89
Solvent effects on the torsional dynamics of a twisted intramolecular charge transfer (TICT)	171 (1002) 07
molecule: bianthryl in acetonitrile, M.J. Smith, K. Krogh-Jespersen and R.M. Levy A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and	171 (1993) 97
B.O. Roos	171 (1993) 107
Theoretical investigation of the structure and dynamics of the cyclopentane radical cation,	,,
S. Lunell, L.A. Eriksson, T. Fängström, J. Maruani, L. Sjöqvist and A. Lund	171 (1993) 119

Dependence of the vibrational frequencies and intensities on the configuration of polyacry-	
lonitrile: an ab initio study on model oligomers, D. Mathieu, M. Defranceschi, G. Lecayon, A. Grand and J. Delhalle	171 (1993) 133
Calculations on clusters of Li and F ions at LiF crystal geometries, A.S. Shalabi and	()
M.M. Shalabi	171 (1993) 145
An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov	171 (1993) 153
Quasidegenerate perturbation theory applied to the calculation of excitation spectra,	171 (1993) 133
A. Lisini, P. Decleva and G. Fronzoni	171 (1993) 159
Ab initio calculations on the one- and two-photon electronic transitions of the conjugated	
isomers of benzene, V. Galasso Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational	171 (1993) 171
levels in the $X^{-1}\Sigma^{+}$ state of CH ⁺ , J. Fišer and J. Vojtík	171 (1993) 319
The tetramer of borane and its heavier valence-isoelectronic analogs: M_4H_{12} with $M=B$,	(,
Al, and Ga, M. Shen, C. Liang and H.F. Schaefer III	171 (1993) 325
Computational and simulation methods Isotope effects on the stability of the nitrogen-acetylene van der Waals dimer,	
S.A.C. McDowell and A.D. Buckingham	171 (1993) 89
Solvent effects on the torsional dynamics of a twisted intramolecular charge transfer (TICT)	
molecule: bianthryl in acetonitrile, M.J. Smith, K. Krogh-Jespersen and R.M. Levy	171 (1993) 97
A theoretical study of the collinear reaction $F+H_2 \rightarrow HF+H$ using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and	
B.O. Roos	171 (1993) 107
Coherence effects in the anisotropy of optical experiments, K. Wynne and R.M. Hochstrasser	171 (1993) 179
Theoretical simulation of OH and OD stretching bands of isotopically diluted HDO mole-	171 (1002) 190
cules in aqueous solution, M.J. Wojcik, K. Hermansson, J. Lindgren and L. Ojamäe Energy gap equation of 1D polyconjugated π -systems in the Hubbard approximation,	171 (1993) 189
N. Tyutyulkov and F. Dietz	171 (1993) 293
Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational	,
levels in the X $^{1}\Sigma^{+}$ state of CH ⁺ , J. Fišer and J. Vojtík	171 (1993) 319
The tetramer of borane and its heavier valence-isoelectronic analogs: M_4H_{12} with $M=B$, Al, and Ga, M. Shen, C. Liang and H.F. Schaefer III	171 (1993) 325
Al, and Ga, M. Shen, C. Liang and H.I. Schaeler III	171 (1775) 325
Molecular dynamics and scattering theory	
Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic	
molecules, D.V. Kupriyanov and O.S. Vasyutinskii	171 (1993) 25
State-to-state cross sections for rotational excitation of ortho- and para-NH ₃ by ortho- and para-H ₂ . Experiment versus theory, J. Schleipen, J.J. ter Meulen and A.R. Offer	171 (1993) 347
Coupled-wavepacket study of model dissociative charge exchange in collisions between a	(,
diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq	171 (1993) 363
Experimental	

Experimental

Magnetic resonances

Theoretical investigation of the structure and dynamics of the cyclopentane radical cation, S. Lunell, L.A. Eriksson, T. Fängström, J. Maruani, L. Sjöqvist and A. Lund

171 (1993) 119

¹ H and ² D electron nuclear double resonance (ENDOR) and electron spin echo envelope modulation (ESEEM) investigations on γ-irradiated betaine arsenate, A. Pöppl,	
G. Völkel, O. Tober, A. Klöpperpieper, J. Hüttermann and W. Gatzweiler	171 (1993) 375
¹⁴ N ENDOR study of γ-irradiated betaine arsenate, A. Pöppl and G. Völkel	171 (1993) 387
Infrared spectroscopy	
Dependence of the vibrational frequencies and intensities on the configuration of polyacry- lonitrile: an ab initio study on model oligomers, D. Mathieu, M. Defranceschi,	171 (1993) 133
G. Lecayon, A. Grand and J. Delhalle Vibrational study of various crystalline phases of thallium dihydrogen phosphate TlH ₂ PO ₄ and its deuterated analog TlD ₂ PO ₄ , B. Pasquier, N. Le Calvé, S. Al Homsi-Teiar and	171 (1993) 133
F. Fillaux	171 (1993) 203
Raman spectroscopy	
Vibrational study of various crystalline phases of thallium dihydrogen phosphate TlH ₂ PO ₄ and its deuterated analog TlD ₂ PO ₄ , B. Pasquier, N. Le Calvé, S. Al Homsi-Teiar and	
F. Fillaux	171 (1993) 203
Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine, D. Consalvo, J.W.I. van Bladel, R. Engeln and J. Reuss	171 (1993) 221
D. Consaivo, J. W.I. van Blader, R. Engem and J. Reuss	171 (1993) 221
Visible and UV spectroscopy	
Tyrosine hypochromism and absence of tyrosine-tryptophan energy transfer in phospholi-	
pase A ₂ and ribonuclease T ₁ , N. Vekshin, M. Vincent and J. Gallay	171 (1993) 231
Optical excitation of the b ${}^4\Sigma^-$ – X ${}^2\Pi$ transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby,	
D.L. Huestis and T.G. Slanger	171 (1993) 237
Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey,	171 (1002) 252
K. Holliday, C. Wei, A. Renn and U.P. Wild	171 (1993) 253 171 (1993) 397
Electro-absorption spectra of degenerate charge transfer states, P. Petelenz	1/1 (1993) 397
Fluorescence spectroscopy	
Tyrosine hypochromism and absence of tyrosine-tryptophan energy transfer in phospholi-	
pase A ₂ and ribonuclease T ₁ , N. Vekshin, M. Vincent and J. Gallay	171 (1993) 231
Kinetics of the reaction OH+NO+M→HONO+M as a function of temperature and pres-	171 (1002) 265
sure in the presence of argon, SF ₆ , and N ₂ bath gas, S. Zabarnick SO ₂ fluorescence in cooled molecular beams under a magnetic field. The model analysis,	171 (1993) 265
K.A. Amosov, S.A. Kochubei, K.N. Naumochkin, V.I. Makarov, I.V. Khmelinski and	
N.M. Bazhin	171 (1993) 275
Electron impact spectroscopy	
Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction	
wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion,	-
E.R. Davidson and D. Feller	171 (1993) 303
Laser methods	
Kinetics of the reaction OH+NO+M→HONO+M as a function of temperature and pres-	
sure in the presence of argon, SF ₆ , and N ₂ bath gas, S. Zabarnick	171 (1993) 265

171 (1993) 275

Coherent optical spectroscopy	
Coherence effects in the anisotropy of optical experiments, K. Wynne and R.M. Hochstrasser	171 (1993) 179
Optical pumping	
Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation	
of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and	4.74.44.000
O.S. Vasyutinskii	171 (1993) 45
Optical excitation of the b ${}^4\Sigma^-$ – X ${}^2\Pi$ transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby,	171 (1002) 227
D.L. Huestis and T.G. Slanger	171 (1993) 237
Atomic and molecular beam techniques	
State-to-state cross sections for rotational excitation of ortho- and para-NH ₃ by ortho- and	
para-H ₂ . Experiment versus theory, J. Schleipen, J.J. ter Meulen and A.R. Offer	171 (1993) 347
Time-resolved experiments	
Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation	
of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and	
O.S. Vasyutinskii	171 (1993) 45
Coherence effects in the anisotropy of optical experiments, K. Wynne and R.M. Hochstrasser Kinetics of the reaction $OH + NO + M \rightarrow HONO + M$ as a function of temperature and pres-	171 (1993) 179
sure in the presence of argon, SF ₆ , and N ₂ bath gas, S. Zabarnick	171 (1993) 265
Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion,	
E.R. Davidson and D. Feller	171 (1993) 303
Measurement of macroscopic variables	
Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders	
and G. Nimtz	171 (1993) 285
Objects	
Bulk systems	
Gases	
Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,	
D. Consalvo, J.W.I. van Bladel, R. Engeln and J. Reuss	171 (1993) 221
Supersonic beams	
Isotope effects on the stability of the nitrogen-acetylene van der Waals dimer,	
S.A.C. McDowell and A.D. Buckingham	171 (1993) 89
SO ₂ fluorescence in cooled molecular beams under a magnetic field. The model analysis,	
V. A. Amasay, C. A. Vachubai, V. N. Naumachkin, V.I. Makaray, I.V. Vhmelinski and	

K.A. Amosov, S.A. Kochubei, K.N. Naumochkin, V.I. Makarov, I.V. Khmelinski and

N.M. Bazhin

Liquide mixtures and solutions	
Liquids mixtures and solutions Solvent effects on the torsional dynamics of a twisted intramolecular charge transfer (TICT) molecule: bianthryl in acetonitrile, M.J. Smith, K. Krogh-Jespersen and R.M. Levy	171 (1993) 97
Theoretical simulation of OH and OD stretching bands of isotopically diluted HDO molecules in aqueous solution, M.J. Wojcik, K. Hermansson, J. Lindgren and L. Ojamäe	171 (1993) 189
Crystals	
Calculations on clusters of Li and F ions at LiF crystal geometries, A.S. Shalabi and M.M. Shalabi	171 (1993) 145
Vibrational study of various crystalline phases of thallium dihydrogen phosphate TlH ₂ PO ₄ and its deuterated analog TlD ₂ PO ₄ , B. Pasquier, N. Le Calvé, S. Al Homsi-Teiar and F. Fillaux	171 (1993) 203
-neat	
Electro-absorption spectra of degenerate charge transfer states, P. Petelenz	171 (1993) 397
Glasses	
Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild	171 (1993) 253
Liquid crystals	
Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders and G. Nimtz	171 (1993) 285
Polymers	
Dependence of the vibrational frequencies and intensities on the configuration of polyacry- lonitrile: an ab initio study on model oligomers, D. Mathieu, M. Defranceschi, G. Lecayon, A. Grand and J. Delhalle	171 (1993) 133
Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild	171 (1993) 153
 Energy gap equation of 1D polyconjugated π-systems in the Hubbard approximation, N. Tyutyulkov and F. Dietz 	171 (1993) 293
Semiconductors	
An examination of the structure and inversion barrier for lithium and sodium phosphide,	
J.S. Francisco and G. Khitrov	171 (1993) 153
Surfaces	
Calculations on clusters of Li and F ions at LiF crystal geometries, A.S. Shalabi and M.M. Shalabi	171 (1993) 145
Dielectrics	
¹ H and ² D electron nuclear double resonance (ENDOR) and electron spin echo envelope modulation (ESEEM) investigations on γ-irradiated betaine arsenate, A. Pöppl,	
G. Völkel, O. Tober, A. Klöpperpieper, J. Hüttermann and W. Gatzweiler	171 (1993) 375 171 (1993) 387
¹⁴ N ENDOR study of γ-irradiated betaine arsenate, A. Pöppl and G. Völkel	1/1 (1993) 38/

Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Tyrosine hypochromism and absence of tyrosine-tryptophan energy transfer in phospholi- pase A ₂ and ribonucleas T ₁ , N. Veskini, M. Vincent and J. Gallay Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders and G. Nimtz **Microscopic systems** **Microscopic systems** **Microscopic systems** **Microscopic systems** **Microscopic systems** **Molecules (neutral and ionic)** **Molecules (neutral and ionic)** **Molecules (neutral and ionic)** **Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni **Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X 'Σ* state of CH*, J. Fiser and J. Vojtik **diatomic** Orientation and alignment of **P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Optical excitation of the b *\S^-\XX* \XII transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq **Tall (1993) 107 171 (1993) 237 171 (1993) 237 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 107 171 (1993) 107 172 (1993) 107 173 (1993) 107 174 (1993) 107 175 (1993) 107 176 (1993) 107 177 (1993) 107 179 (1993) 107 1	Piological systems	
Tyrosine hypochromism and absence of tyrosine-tryptophan energy transfer in phospholipase A ₂ and ribonuclease T ₁ , N. Vekshin, M. Vincent and J. Gallay Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders and G. Nimtz 171 (1993) 285 Microscopic systems Atoms Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 159 Molecules (neutral and ionic) Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 159 Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild 171 (1993) 159 Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild 171 (1993) 159 Torientation and alignment of ² P _{3/2} fragments following photodissociation of rolecules, D.V. Kupriyanov and O.S. Vasyutinskii 171 (1993) 250 Orientation and alignment of ² P _{3/2} fragments following photodissociation of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii 171 (1993) 250 Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii 171 (1993) 257 Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller 171 (1993) 171	Biological systems Haken-Strobl-Reineker model: its limits of validity and a possible extension. V. Čán	ek 171 (1993) 79
Pages A ₂ and ribonuclease T ₁ , N. Vekshin, M. Vincent and J. Gallay Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders and G. Nimtz **Microscopic systems** **Atoms** Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni **Molecules (neutral and ionic)** Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni **Tol (1993) 159 Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio C calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fiser and J. Vojtik **diatomic** Orientation and alignment of ²P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyuinskii Optical excitation of the b ⁴Σ⁻–X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq **Tol (1993) 193 171 (1993) 303 -**small polyatomics* A theoretical study of the collinear reaction F+H₂-HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations and an inorical molecule, dimethylamine, so the torsional Raman spectrum of a		, , ,
Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders and G. Nimtz Atoms Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Molecules (neutral and ionic) Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtik —diatomic Orientation and alignment of ²P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P _{3/2} thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ⁻¬X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 303 171 (1993) 303 171 (1993) 107 171 (1993) 107 171 (1993) 171 171 (1993) 171		
Microscopic systems Atoms Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 159 Molecules (neutral and ionic) 171 (1993) 159 Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 79 Stark effect and spectral hole-burning solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild 171 (1993) 253 Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹ Σ+ state of CH+, J. Fiser and J. Vojtik 171 (1993) 319 -diatomic 0rientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii 171 (1993) 25 Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TiBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii 171 (1993) 25 Orientation of the b ⁴ ΣX ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger 171 (1993) 45 Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller 171 (1993)		nders
Atoms Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Molecules (neutral and ionic) Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 79 Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 79 Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni 171 (1993) 79 171 (1993) 159 Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ½ x state of CH x J. Fiser and J. Vojtik 171 (1993) 253 171 (1993) 319 -diatomic Orientation and alignment of 2P _{3/2} fragments following photodissociation of TiBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the 5 x x 2 T transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 107 An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galas	and G. Nimtz	171 (1993) 285
Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Molecules (neutral and ionic) Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X 'Σ+ state of CH+, J. Fišer and J. Vojtik -diatomic Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TIBr, A.O. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ ΣX ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso	Microscopic systems	
Molecules (neutral and ionic) Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtík —diatomic Orientation and alignment of ²P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P _{3/2} thallium atoms following photodissociation of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ⁻¬X ²∏ transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 303 171 (1993) 303	Atoms	
Molecules (neutral and ionic) Haken–Strobl–Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtík 171 (1993) 253 Abinitio CI calculation of muclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtík 171 (1993) 319 171 (1993) 325 171 (19		
Haken–Strobl–Reineker model: its limits of validity and a possible extension, V. Čápek Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtík -diatomic Orientation and alignment of ²P₃₂₂ fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P₃₂₂ thallium atoms following photodissociation of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ⁻-X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,	A. Lisini, P. Decleva and G. Fronzoni	171 (1993) 159
Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtík -diatomic Orientation and alignment of ²P₃/₂ fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P₃/₂ thallium atoms following photodissociation of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ⁻–X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 363 -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
A. Lisini, P. Decleva and G. Fronzoni Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ⁺ state of CH⁺, J. Fišer and J. Vojtík -diatomic Orientation and alignment of ²P₃₂₂ fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P₃₂₂ thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ⁻–X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ+ state of CH+, J. Fišer and J. Vojtík -diatomic Orientation and alignment of ²P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P _{3/2} thallium atoms following photodissociation of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ−X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
K. Holliday, C. Wei, A. Renn and U.P. Wild Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹Σ+ state of CH+, J. Fišer and J. Vojtík -diatomic Orientation and alignment of ²P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ²P _{3/2} thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴Σ−−X ²Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
-diatomic Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ Σ ⁻ –X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
-diatomic Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TiBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ Σ ⁻ –X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 363 -small polyatomics A theoretical study of the collinear reaction F + H ₂ →HF + H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ Σ [−] -X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,	levels in the X ¹ Σ ⁺ state of CH ⁺ , J. Fišer and J. Vojtík	171 (1993) 319
molecules, D.V. Kupriyanov and O.S. Vasyutinskii Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ Σ ⁻ –X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,	-diatomic	
Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ Σ ⁻ -X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 303 -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
of TIBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and O.S. Vasyutinskii Optical excitation of the b ⁴ Σ ⁻ –X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
O.S. Vasyutinskii Optical excitation of the b ⁴ Σ ⁻ –X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
Optical excitation of the b ⁴ Σ ⁻ –X ² Π transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby, D.L. Huestis and T.G. Slanger Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree–Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion, E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
 E.R. Davidson and D. Feller Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq -small polyatomics A theoretical study of the collinear reaction F+H₂→HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine, 		
Coupled-wavepacket study of model dissociative charge exchange in collisions between a diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq 171 (1993) 363 -small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
-small polyatomics A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,	-small polyatomics	
B.O. Roos An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		il sec-
An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine, 171 (1993) 171		
J.S. Francisco and G. Khitrov Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		
isomers of benzene, V. Galasso Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,		, , , , ,
D. Consalvo, J.W.I. van Bladel, R. Engeln and J. Reuss 171 (1993) 221		
	D. Consalvo, J.W.I. van Bladel, R. Engeln and J. Reuss	171 (1993) 221

SO ₂ fluorescence in cooled molecular beams under a magnetic field. The model analysis,	
K.A. Amosov, S.A. Kochubei, K.N. Naumochkin, V.I. Makarov, I.V. Khmelinski and	
N.M. Bazhin	171 (1993) 275
The tetramer of borane and its heavier valence-isoelectronic analogs: M_4H_{12} with $M=B$, Al, and Ga, M. Shen, C. Liang and H.F. Schaefer III	171 (1993) 325
-polymeric and biological	
Tyrosine hypochromism and absence of tyrosine-tryptophan energy transfer in phospholi-	
pase A ₂ and ribonuclease T ₁ , N. Vekshin, M. Vincent and J. Gallay	171 (1993) 231
Energy gap equation of 1D polyconjugated π -systems in the Hubbard approximation, N. Tyutyulkov and F. Dietz	171 (1993) 293
Molecular aggregates	
Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek	171 (1993) 79
-dimers	
Electro-absorption spectra of degenerate charge transfer states, P. Petelenz	171 (1993) 397
-van der Waals molecules	
Isotope effects on the stability of the nitrogen-acetylene van der Waals dimer,	
S.A.C. McDowell and A.D. Buckingham	171 (1993) 89
-clusters	
Cooperative core hole screening mechanism in adsorbates: its hindrance in the NEXAFS	
spectra of the CO/Ni and N ₂ /Ni systems, M. Ohno and P. Decleva	171 (1993) 9
Calculations on clusters of Li and F ions at LiF crystal geometries, A.S. Shalabi and M.M. Shalabi	171 (1993) 145
-complexes	
An examination of the structure and inversion barrier for lithium and sodium phosphide,	
J.S. Francisco and G. Khitrov	171 (1993) 153
Free radicals (including hydronium and muonium)	
Theoretical investigation of the structure and dynamics of the cyclopentane radical cation,	
S. Lunell, L.A. Eriksson, T. Fängström, J. Maruani, L. Sjöqvist and A. Lund	171 (1993) 119
Kinetics of the reaction OH+NO+M→HONO+M as a function of temperature and pres-	151 (1000) 265
sure in the presence of argon, SF ₆ , and N ₂ bath gas, S. Zabarnick	171 (1993) 265
¹ H and ² D electron nuclear double resonance (ENDOR) and electron spin echo envelope modulation (ESEEM) investigations on γ-irradiated betaine arsenate, A. Pöppl,	
G. Völkel, O. Tober, A. Klöpperpieper, J. Hüttermann and W. Gatzweiler	171 (1993) 375
¹⁴ N ENDOR study of γ-irradiated betaine arsenate, A. Pöppl and G. Völkel	171 (1993) 387
Quasiparticles (including excitions)	
Electro-absorption spectra of degenerate charge transfer states, P. Petelenz	171 (1993) 397
Defects and impurities	
Calculations on clusters of Li and F ions at LiF crystal geometries, A.S. Shalabi and	
M.M. Shalabi	171 (1993) 145

Phenomena

Molecular structure	
Theoretical investigation of the structure and dynamics of the cyclopentane radical cation,	
S. Lunell, L.A. Eriksson, T. Fängström, J. Maruani, L. Sjöqvist and A. Lund	171 (1993) 119
An examination of the structure and inversion barrier for lithium and sodium phosphide, J.S. Francisco and G. Khitrov	171 (1993) 153
Valence electron momentum distributions of the hydrogen halides. I. Comparison of EMS measurements and calculations using Hartree-Fock limit and configuration interaction wavefunctions for hydrogen fluoride, B.P. Hollebone, Y. Zheng, C.E. Brion,	
E.R. Davidson and D. Feller	171 (1993) 303
The tetramer of borane and its heavier valence-isoelectronic analogs: M_4H_{12} with $M=B$,	171 (1002) 225
Al, and Ga, M. Shen, C. Liang and H.F. Schaefer III H and D electron nuclear double resonance (ENDOR) and electron spin echo envelope modulation (ESEEM) investigations on γ-irradiated betaine arsenate, A. Pöppl,	171 (1993) 325
G. Völkel, O. Tober, A. Klöpperpieper, J. Hüttermann and W. Gatzweiler	171 (1993) 375
¹⁴ N ENDOR study of γ-irradiated betaine arsenate, A. Pöppl and G. Völkel	171 (1993) 387
Vibrations and rotations of molecules	
Analysis of the torsional Raman spectrum of a pyramidal molecule, dimethylamine,	
D. Consalvo, J.W.I. van Bladel, R. Engeln and J. Reuss	171 (1993) 221
The tetramer of borane and its heavier valence-isoelectronic analogs: M ₄ H ₁₂ with M=B, Al, and Ga, M. Shen, C. Liang and H.F. Schaefer III State-to-state cross sections for rotational excitation of ortho- and para-NH ₃ by ortho- and	171 (1993) 325
para-H ₂ . Experiment versus theory, J. Schleipen, J.J. ter Meulen and A.R. Offer	171 (1993) 347
Electronic structure and states	
Cooperative core hole screening mechanism in adsorbates: its hindrance in the NEXAFS spectra of the CO/Ni and N ₂ /Ni systems, M. Ohno and P. Decleva	171 (1993) 9
Quasidegenerate perturbation theory applied to the calculation of excitation spectra, A. Lisini, P. Decleva and G. Fronzoni	171 (1993) 159
Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso	171 (1993) 171
Optical excitation of the b ${}^4\Sigma^-$ – X ${}^2\Pi$ transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby,	1,1 (1,20) 1,1
D.L. Huestis and T.G. Slanger	171 (1993) 237
Stark effect and spectral hole-burning: solvation of organic dyes in polymers, E. Vauthey, K. Holliday, C. Wei, A. Renn and U.P. Wild	171 (1993) 253
Energy gap equation of 1D polyconjugated π -systems in the Hubbard approximation,	
N. Tyutyulkov and F. Dietz Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational	171 (1993) 293
levels in the X $^{1}\Sigma^{+}$ state of CH ⁺ , J. Fišer and J. Vojtík	171 (1993) 319
Electric and magnetic properties	
Theoretical investigation of the structure and dynamics of the cyclopentane radical cation,	171 (1002) 110
S. Lunell, L.A. Eriksson, T. Fängström, J. Maruani, L. Sjöqvist and A. Lund Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders	171 (1993) 119
and G. Nimtz	171 (1993) 285

Molecular interactions A new insight into the mechanism of intermolecular forces, E.A. Power and	
T. Thirunamachandran	171 (1993) 1
State-to-state cross sections for rotational excitation of ortho- and para-NH ₃ by ortho- and	
para-H ₂ . Experiment versus theory, J. Schleipen, J.J. ter Meulen and A.R. Offer	171 (1993) 347
Spectral bandshapes and intensities	
Response functions and susceptibilities for multiresonant non-linear optical spectroscopy:	
perturbative computer algebra solution including feeding, B. Dick	171 (1993) 59
Electro-absorption spectra of degenerate charge transfer states, P. Petelenz	171 (1993) 397
Coupling of electronic and nuclear motion	
Solvent effects on the torsional dynamics of a twisted intramolecular charge transfer (TICT)	
molecule: bianthryl in acetonitrile, M.J. Smith, K. Krogh-Jespersen and R.M. Levy	171 (1993) 97
Coupled-wavepacket study of model dissociative charge exchange in collisions between a	
diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq	171 (1993) 363
Energy transfer processes	
Haken-Strobl-Reineker model: its limits of validity and a possible extension, V. Čápek	171 (1993) 79
Tyrosine hypochromism and absence of tyrosine-tryptophan energy transfer in phospholi-	
pase A ₂ and ribonuclease T ₁ , N. Vekshin, M. Vincent and J. Gallay	171 (1993) 231
Optical excitation of the b ${}^{4}\Sigma^{-}$ – X ${}^{2}\Pi$ transition in NO, M.J. Dyer, G.W. Faris, P.C. Cosby,	171 (1002) 227
D.L. Huestis and T.G. Slanger	171 (1993) 237
SO ₂ fluorescence in cooled molecular beams under a magnetic field. The model analysis, K.A. Amosov, S.A. Kochubei, K.N. Naumochkin, V.I. Makarov, I.V. Khmelinski and	
N.M. Bazhin	171 (1993) 275
State-to-state cross sections for rotational excitation of ortho- and para-NH ₃ by ortho- and	()
para-H ₂ . Experiment versus theory, J. Schleipen, J.J. ter Meulen and A.R. Offer	171 (1993) 347
Molecular photophysical processes	
Orientation and alignment of ² P _{3/2} fragments following photodissociation of heteroatomic	
molecules, D.V. Kupriyanov and O.S. Vasyutinskii	171 (1993) 25
Orientation and alignment of metastable ² P _{3/2} thallium atoms following photodissociation	
of TlBr, A.G. Evseev, D.V. Kupriyanov, B.V. Picheyev, B.N. Sevastianov and	
O.S. Vasyutinskii	171 (1993) 45
Coherence effects in the anisotropy of optical experiments, K. Wynne and R.M. Hochstrasser	171 (1993) 179
Intramolecular dynamics	
Theoretical simulation of OH and OD stretching bands of isotopically diluted HDO mole-	
cules in aqueous solution, M.J. Wojcik, K. Hermansson, J. Lindgren and L. Ojamäe	171 (1993) 189
-radiationless transitions	
SO ₂ fluorescence in cooled molecular beams under a magnetic field. The model analysis,	
K.A. Amosov, S.A. Kochubei, K.N. Naumochkin, V.I. Makarov, I.V. Khmelinski and	
N.M. Bazhin	171 (1993) 275
Coherence loss processes	
Coherence effects in the anisotropy of optical experiments, K. Wynne and R.M. Hochstrasser	171 (1993) 179

Non-linear responses (including optical)	
Response functions and susceptibilities for multiresonant non-linear optical spectroscopy: perturbative computer algebra solution including feeding, B. Dick	171 (1993) 59
Multiphoton phenomena	
Ab initio calculations on the one- and two-photon electronic transitions of the conjugated isomers of benzene, V. Galasso	171 (1993) 171
Reactions (including dissociation)	
-gas phase	
A theoretical study of the collinear reaction F+H ₂ →HF+H using multiconfigurational second-order perturbation theory (CASPT2), R. González-Luque, M. Merchán and B.O. Roos	171 (1993) 107
Kinetics of the reaction $OH + NO + M \rightarrow HONO + M$ as a function of temperature and pres-	171 (1993) 107
sure in the presence of argon, SF ₆ , and N ₂ bath gas, S. Zabarnick	171 (1993) 265
Electron transfer	
Coupled-wavepacket study of model dissociative charge exchange in collisions between a	
diatomic ion and a diatomic molecule, F. Aguillon, V. Sidis and J.P. Gauyacq	171 (1993) 363
Ionization (including Rydberg states)	
Cooperative core hole screening mechanism in adsorbates: its hindrance in the NEXAFS	171 (1002) 0
spectra of the CO/Ni and N ₂ /Ni systems, M. Ohno and P. Decleva	171 (1993) 9
Molecular motion (including diffusive)	
Solvent effects on the torsional dynamics of a twisted intramolecular charge transfer (TICT) molecule: bianthryl in acetonitrile, M.J. Smith, K. Krogh-Jespersen and R.M. Levy	171 (1993) 97
Isotopic effects	
Isotope effects on the stability of the nitrogen-acetylene van der Waals dimer,	
S.A.C. McDowell and A.D. Buckingham Vibrational study of various crystalline phases of thallium dihydrogen phosphate TlH ₂ PO ₄	171 (1993) 89
and its deuterated analog TlD ₂ PO ₄ , B. Pasquier, N. Le Calvé, S. Al Homsi-Teiar and	
F. Fillaux	171 (1993) 203
Ab initio CI calculation of nuclear quadrupole coupling constants of low-lying rovibrational levels in the X ¹ Σ ⁺ state of CH ⁺ , J. Fišer and J. Vojtík	171 (1993) 319
Thermodynamic and transport properties	
Hydration dependence of molecular mobility in phospholipid bilayers, P. Pissis, A. Enders	
and G. Nimtz	171 (1993) 285
Phase transitions	
Vibrational study of various crystalline phases of thallium dihydrogen phosphate TlH ₂ PO ₄	
and its deuterated analog TlD ₂ PO ₄ , B. Pasquier, N. Le Calvé, S. Al Homsi-Teiar and F. Fillaux	171 (1993) 203
• • • • • • • • • • • • • • • • • • • •	1.1 (1775) 205

- ¹H and ²D electron nuclear double resonance (ENDOR) and electron spin echo envelope modulation (ESEEM) investigations on γ-irradiated betaine arsenate, A. Pöppl, G. Völkel, O. Tohar, A. Klöppermioner, I. Höttermann and W. Getzweiler.
 - G. Völkel, O. Tober, A. Klöpperpieper, J. Hüttermann and W. Gatzweiler
- 14 N ENDOR study of γ -irradiated betaine arsenate, A. Pöppl and G. Völkel
- 171 (1993) 375
- 171 (1993) 387